



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

109

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/602,380	06/24/2003	Prasad Shripad Kadle	DP-308450	1688
22851	7590	09/24/2004	EXAMINER	
DELPHI TECHNOLOGIES, INC.			ALI, MOHAMMAD M	
M/C 480-410-202			ART UNIT	
PO BOX 5052			PAPER NUMBER	
TROY, MI 48007			3744	

DATE MAILED: 09/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/602,380

Applicant(s)

KADLE ET AL.

Examiner

Mohammad Ali

Art Unit

3744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 August 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 August 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Drawing

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "thermoelectric device" for claims 5 and 10 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference characters "46" in the original drawing and "42" in the corrected drawing filed on 08/26/04 have both been used to designate standpipe. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35

U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-4 and 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Seigle et al. (5,722,146) in view of Telesz et al., (6,389,842). Seigle et al., disclose an accumulator for a suction liquid heat exchanger in a refrigeration system comprising a compressor/inherent, a condenser/inherent, an evaporator/inherent, a discharge fluid line interconnecting the compressor and the condenser (inherent), a fluid line (34/32) interconnecting the condenser and the evaporator (inherent) a, a suction fluid line interconnecting the evaporator a and the compressor, an accumulator/dehydrator (accumulator-receiver)/ heat exchanger 24 disposed in the suction fluid line for accumulating refrigerant, and a heat transfer jacket/shell 14 surrounding the accumulator-receiver for exchanging heat independent of refrigerant with the accumulator-receiver 12 and the refrigerant therein. See Fig. 1 and 2 and column1, lines 11-21, column 4, lines 3-13. Seigle et al., disclose the invention substantially as claimed as stated above. However, Seigle et al., do not disclose a combined accumulator/dehydrator. Telesz et al. teach the use of an accumulator/dehydrator 10 in an air conditioning system for the purpose of separating liquid

refrigerant from the gaseous refrigerant and absorbing moisture therefrom. See Fig.1. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the heat exchanger of Seigle et al., in view of Telesz et al., such that a dehydrator portion could be provided in order to dehydrate the refrigerant.

Claims 5 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Seigle et al., in view of Telesz et al., as applied to claim 1 and 6 above and further in view of Bergman et al. (6,319,841). Seigle et al., in view of Telesz et al., disclose the invention substantially as claimed as stated above. However, Seigle et al., in view of Telesz et al., do not disclose a thermoelectric device/ Bergman et al. teach the use of a thermoelectric device 38 with a cooler jacket 38 and accumulator 37 in a liquid and gaseous environment for the heat exchanging purposes See Fig.1. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the heat exchanger of Seigle et al., in view of Telesz et al., and further in view of Bergman et al., such that a thermoelectric device could be provided in order to exchange heat.

Response to Arguments

Applicant's arguments with respect to claims 1-10 have been considered but are moot in view of the new ground(s) of rejection as stated above.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO


MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad Ali whose telephone number is 703-308-5032. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Esquivel Denise can be reached on 703-308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Mohammad M. Ali
September 23, 2004


WILLIAM DOERRLER
PATENT EXAMINER
GROUP 3400